

VELBON Tripod & Head × CAMERA Compatibility

⊙: Best combination ○: Good combination □: Not suitable


	Recommended loaded weight (kg)	Digital Compact Less than 1kg	Digital SLR camera					Video camera		Field-scope
			100mm Macro ~ 200mm Zoom	~300mm Zoom	~300mm + heavy Camera	~300mm F2.8	~600mm Large Diameter	8mm / Compact and portable type	Full size / high-end type	
GEO N830/N840/N840S	9	□	⊙	⊙	⊙	⊙	⊙	□	○	○
GEO N730/N740	7	□	⊙	⊙	⊙	⊙	○	□	○	○
GEO N630/N640/E630/E640/E640L	4	□	⊙	⊙	⊙	⊙	□	○	○	○
GEO N530/N540/E530/E540/E540L	3	□	⊙	⊙	⊙	⊙	□	○	○	○
GEO E430/E440/E440L	2.5	□	⊙	⊙	⊙	⊙	□	○	○	○
GEO E330	2	□	⊙	○	○	□	□	○	○	○
SHERPA 200R/250R/450R/800R	3	□	⊙	⊙	○	□	□	○	○	○
SHERPA 550R/750R	3.5	□	⊙	⊙	○	□	□	○	○	○
SHERPA 803R	3.5	□	⊙	⊙	○	□	□	○	○	○
SHERPA 538R	3	□	⊙	⊙	○	□	□	○	○	○
SHERPA 603R/555R/435R	2.5	□	○	○	○	□	□	○	○	□
SHERPA+ 530	3.5	□	⊙	⊙	⊙	□	□	○	○	○
SHERPA+ 630	4	□	⊙	⊙	⊙	□	□	○	○	○
Mark-7B	7	□	⊙	⊙	⊙	⊙	⊙	□	○	○
ULTRA REXi L	4	□	⊙	⊙	⊙	⊙	□	○	○	□
ULTRA VOXi L	3.5	□	⊙	⊙	⊙	○	□	○	○	□
ULTRA LUXi L II	3	⊙	⊙	⊙	⊙	□	□	○	□	□
ULTRA LUXi L	2	⊙	⊙	○	○	□	□	○	□	□
ULTRA LUXi M	2	⊙	⊙	○	○	□	□	○	□	□
ULTRA MAXi L	1.5	⊙	⊙	○	□	□	□	○	□	□
ULTRA MAXi M	1.5	⊙	⊙	○	□	□	□	○	□	□
ULTRA MAXi mini	2	⊙	⊙	○	□	□	□	○	□	□
P-MAX	1	⊙	□	□	□	□	□	○	□	□
MAXi 347GB	1.5	⊙	⊙	□	□	□	□	○	□	□
DV-7000	4	□	⊙	⊙	⊙	○	□	⊙	○	⊙
DV-6000	3	□	⊙	⊙	⊙	○	□	⊙	○	⊙
C-600	2	□	⊙	⊙	⊙	□	□	⊙	○	⊙
C-500	1.5	□	○	□	□	□	□	⊙	○	○
C-400	1	□	○	□	□	□	□	⊙	○	○
CX-686	2	□	○	⊙	○	□	□	⊙	○	⊙
CX-586	1.5	□	○	□	□	□	□	⊙	○	○
CX-480	1	⊙	○	□	□	□	□	⊙	○	○
CX-mini	2	⊙	○	□	□	□	□	⊙	○	□
CX-460mini	2	⊙	○	□	□	□	□	⊙	○	□
CX-200	1	⊙	○	□	□	□	□	⊙	○	□
CX-300	1	⊙	○	□	□	□	□	⊙	○	□
CX-440	1	⊙	○	□	□	□	□	⊙	○	□
CX-460	1	⊙	○	□	□	□	□	⊙	○	□
CX-444/888	1.5	⊙	⊙	⊙	□	□	□	○	○	□
CX-540	2	⊙	⊙	⊙	□	□	□	○	○	○
CX-560	2	⊙	⊙	⊙	□	□	□	○	○	○
CX-640	2.5	⊙	⊙	⊙	□	□	□	○	○	○
CX-660	2.5	⊙	⊙	⊙	□	□	□	○	○	○
DF-40	1	⊙	○	□	□	□	□	○	○	□
DF-50	2	⊙	○	□	□	□	□	○	○	□
DF-60	2.5	⊙	○	○	□	□	□	○	○	○
CUBE	0.4	⊙	□	□	□	□	□	○	□	□
MINI-II	0.2	⊙	□	□	□	□	□	○	□	□
TEENY POD	0.2	⊙	□	□	□	□	□	○	□	□
VTP-777	0.6	⊙	□	□	□	□	□	○	□	□
V-POD	0.6	⊙	□	□	□	□	□	○	□	□
GEO POD N84	7	□	⊙	⊙	⊙	⊙	⊙	□	○	○
GEO POD N74	5.5	□	⊙	⊙	⊙	○	○	□	○	○
GEO POD N64	4	□	⊙	⊙	⊙	○	○	□	○	○
GEO POD E64	4	□	⊙	⊙	⊙	○	□	□	○	○
GEO POD E54	3	⊙	⊙	○	○	□	□	□	○	□
GEO POD E44	2.5	⊙	⊙	○	○	□	□	□	○	□
UP-400DX	2	□	□	□	□	□	□	⊙	○	○
UP-400	2	⊙	⊙	⊙	□	□	□	○	○	○
RUP-L40	3	⊙	⊙	⊙	○	□	□	○	□	○
RUP-L43	3	⊙	⊙	⊙	○	□	□	○	□	○
RUP-V40	3	⊙	⊙	⊙	○	□	□	○	□	○
ULTRA STICK M40	2	⊙	⊙	○	□	□	□	○	□	□
ULTRA STICK M50	2	⊙	⊙	○	□	□	□	○	□	□
ULTRA STICK M53	2	⊙	⊙	○	□	□	□	○	□	□
ULTRA STICK L50	2	⊙	⊙	○	□	□	□	○	□	□

* Maximum Load of the tripods and monopods are far better than Recommended.
** Depending on situation, or shape of the object on the tripod/monopod, ideal load must be changed. Please use center column as short as possible in strong wind to obtain durability for your camera.
*** Use stone bag or hook with hanging bag etc when use light weight carbon tripod to give lower gravity, which makes your tripod steadier.



Velbon®
THE TRIPOD INNOVATOR

2010 PRODUCTS CATALOGUE

A detailed close-up of a black Velbon tripod head and a camera lens. The lens has "EF LENS" and "24-70mm 1:2.8" printed on it. The tripod head has "GEO N840" and "Velbon" printed on it. The background is dark and out of focus.

**We want photographers to take outstanding photos
with our tripods — VEL (very) BON Voyage!!**

Velbon was established in Kobe, Japan back in 1955.


Ever since then, it has been creating photo and video tripods from high-end professional, right down to compact travel-tripods, under the respected and world-famous brand name of Velbon.

"Vel" comes from the pronunciation of the word "Very" in Japanese and "Bon" is from the French word meaning "Good" in English: So Velbon means "Very Good" from the original concept.

We want photographers to take outstanding photos with our tripods – VEL (very) BON Voyage!!

Velbon[®]
THE TRIPOD INNOVATOR
Established in 1955, Japan.





Tripods have 3 legs – that's it! Most end-users consider that there is nothing high tech about a simple camera support. However, for decades, they have been seeking a steady platform which is not too heavy. When we look back in Velbon's model history, we see that the PX-701F was one of their best professional tripods, designed for heavy duty use. It was all aluminium, made in Japan and weighed 3.9kgs - it was needed to support Large or Medium-format cameras.

As time went on and cameras reduced in size, Velbon decided that they would aim to make a tripod just one third the weight of the PX-701F, but with similar durability and performance. Velbon pioneered the introduction of Magnesium alloy in the manufacturing of both the tripod head and body. They also found the solution for combining

After fixing focus in macro photography, you want to avoid large movements when adjusting framing (which would be made if you moved the tripod). In this case, the Macro Slider helps you make fine adjustments. The Super Mag Slider can be divided into 2 parts: the upper part is used to adjust forward and backward and the lower part is for left to right.

The SPT-1 is a multi-purpose plate which will support a camera body and a long telephoto lens at the same time. It will reduce the vibration of the whole camera system as well as any strain on the lens mount.

This plate can be used like a grip when used alone against your chest, or it can be slid simply into a fluid head such as the FHD-61Q, enabling you to take photos using a slow shutter-speed, whilst following an object smoothly with the oil-fluid head.

Recently D-SLR cameras have begun to include high definition (HD) movie modes. The above plate and fluid head will support your dream efficiently, at a lower cost than that normally associated with traditional video equipment.

Craftmanship *Innovation & Technology*



Magnesium alloy with carbon-fibre leg-tubes, creating the best combination for absorbing shutter vibration, caused when an SLR mirror goes up and down.



Vibration is a wave which starts from the mirror inside the camera body; it runs out to the extended body of the lens and returns to the camera body on the tripod platform. Meanwhile, the camera body can shake as the lens is not supported, due to the tripod securing only the camera body.

Velbon tried to solve this problem as simply as possible and found a solution by using Carbon Fibre to absorb vibration from the ground and Magnesium alloy to absorb mirror shock between the camera and tripod head.

Innovation Comes from Knowledge

This kind of philosophy is based on long-term knowledge built-up over 50+ years, since the days of all-aluminium tripods. Velbon's products contain a high level of craftsmanship which can not easily be copied by new brands coming into the market. Velbon has some really unique products to help users create better or ideal conditions for taking pictures in any situation.

Let's use the Super Mag Slider to explain some examples of Velbon's unique products: The Super Mag Slider is made from Magnesium alloy and it has 2 rails for adjusting back and forth or from left to right.



Fluid heads are normally used for video camcorders, but we see a lot of bird watching enthusiasts experimenting with digital scoping - we call it Digi-Sco. Digi-Sco will bring distant objects up close and clearly. As camera resolutions have improved dramatically, the quality of the picture has been greatly

Choosing the Right Tripod - Landscape Photographs

If you choose a tripod from a cheap range, you may find that it is not tall enough. You may go sightseeing and want to take a nice photo at night from a bridge over the river. But if the height is not enough, the top of camera can not see over the bridge and it would be a wasted opportunity, having carried the tripod for a long distance.

If your tripod is tall enough, but too slow and complicated to extend or close down, you can not keep asking your tour colleagues to wait for ages, whilst you set up, take the photo and fold down again. In this case you want a tripod which can be erected quickly and easily, then after taking the photo, it can be folded down again in a few seconds, ready to go on to the next place.

Velbon has come up with a solution to this problem, by creating a brand new product: the "CUBE". This is a tripod which folds flat, has square-section legs and is compact enough to fit inside a lady's bag. However, it only takes 2 seconds to extend and be ready for use. It will hold your camera horizontally on the top-plate and can also be rotated 90° degrees to the vertical position. After shooting your photo, it can be collapsed and folded with one simple action.

This is the fastest and most convenient tripod to extend and fold when you are on a package tour or similar situation.

As seen above, Velbon can offer Professional quality, versatile equipment right down to small compact travel solutions, all combining their innovative design ideas.

Unique Versatility in Craftmanship and Technology is the trademark of Velbon.

Thank you.

improved. Also the quality of paper and printers has made remarkable progress. It means that any blur will also show up when printed with the new technology of cameras and printers.

The Importance of Education

Now users understand how tripods are an important factor in creating the photo image, by keeping the camera as steady as possible. When you want to produce sharp photographs, without any blur, using high quality camera, lens, media and so on, your camera must be held perfectly still on the tripod. If you are a discerning photographer, there is no need to waste your time by trying out cheaper, inferior tripods before you finally choose Velbon's quality and innovation. If your tripod shakes, it is useless for supporting your camera and this is very important point of view when you come to choosing the right equipment.

Anti-shake systems are now very popular in camera bodies and telephoto lenses. But you may need to switch off the camera anti-shake when using a telephoto lens with the same function, as they can interfere with each other if they are both switched on together.

As mentioned above, movement of the camera body can come from inside the camera. Anti-shake systems are made for preventing human vibration when you push the shutter button - this will be absorbed by the anti-shake system, as it is designed to reduce the vibration from outside of the camera or lens.

But when you shoot with a fast shutter speed at ISO 800 or more, the mirror shock inside the camera body is the biggest vibration which will happen just after pushing the shutter button. It may occur several times when following a subject.

In this case, anti-shake systems may not get rid of the blur as it comes from the moving parts within the camera system after pressing the shutter button. In this case, it is not the human creating the vibration.



Velbon offers three different types of heads and three different ranges of tripods, to perfectly suit your requirements.

Ball & Socket heads (or Ball heads) have a one-stop locking system for the pan and tilt angles. They generally include a Quick-release platform and ensure that speedy setup is standard with this range.

3-way heads have pan and tilt handles, as well as Quick-release platforms, several of which are compatible with Velbon's Ball & Socket heads as follows:

Ball heads QHD-61Q and 71Q have the same quick release platform as PHD-54Q(51Q) and 64Q(61Q) respectively. (NB: PH-285 and 275 do not have quick release platforms) PH-285, 275, PHD-61Q, 51Q, 41Q, and 31Q are actually 4-way heads, as these heads can also be turned vertically to the right or left by 90 degrees. This is particularly important to keep the flashgun above your camera lens when taking portrait (vertical) shots.

Some 3-way heads (such as PH-157Q) have a single handle which operates both pan and tilt functions and can be locked and unlocked in one action.

3-way heads by using the scale printed on the base of the head.

Fluid heads are designed primarily for film or video use, they allow 2-way, panning and tilting functions (sideways vertical tilt is not necessary). The main point of fluid heads is to allow smooth movement with camcorders and after releasing the handle, the camcorder should remain in position without the need to lock-off too tight.

Velbon offers three ranges of unique and outstanding tripods:

GEO-series

As well as their primarily carbon fibre construction, Velbon adds a small amount of Basalt to the raw materials when the leg tubes are constructed. Velbon use a pulling torsion during the manufacturing process, instead of layers which are used by other carbon fibre manufacturers.

Pulling torsion is more effective than using layers, as all the materials become deeply combined with epoxy resin. Velbon adds Basalt to give more strength to the carbon-fibre tubes and more resistance to the bending or crushing forces which may be applied when supporting heavy loads. Velbon's carbon-fibre legs are formed by a highly specialised French company which is well known as a high-tech supplier to the demanding aircraft and car industries. Velbon is proud to utilize their advanced French technology in its carbon-fibre leg production.

Velbon also use Magnesium alloy in their tripod body production, as it makes the tripod extremely light-weight and gives far more durability compared to a plastic or aluminum body. Velbon was a pioneer in the use Magnesium alloy, which it introduced into the tripod industry in the 1990s. Magnesium alloy is not easy to accurately mould and it is formed using high technology, controlled by Japanese engineers.

Velbon offer their GEO-series tripods as a top class choice for advanced amateurs and professionals who own D-SLRs.

SHERPA+

Velbon has been well known with its Sherpa range for decades. Now SHERPA PLUS is available to bridge the gap between the GEO and Sherpa ranges. They offer larger diameters of aluminum leg and GEO-style bodies made of Magnesium alloy which keeps weight to a minimum, but offers high strength.

Low-angle shooting is available by opening out the legs fully and removing the lower part of the center column. The Sherpa Plus series offers tripods which are ideal for keen photographers who like to use telephoto or teleconverter lenses.

HEADS

BALL HEAD



LOOK P.24

QUICK RELEASE



LOOK P.23

3-WAY (4-WAY) HEAD



LOOK P.24

FLUID HEAD



LOOK P.24

TRIPOD BODY

GEO series



SHERPA+ series



ULTRA series



CX/DF/C series & P-MAX



LOOK P.19~

LEG TYPES

3 Section/4 Section



LOOK P.07~

3 Section



LOOK P.14

5 Section



LOOK P.17~

ULTRA-series

Velbon offers a unique travel solution with this range of compact tripods. They have 5-section legs and no locking clips on the legs, as the legs are locked and released simply by twisting.

All the unique functions on these legs are patented and the larger diameter leg sections provide extra strength at the joints part where they may be weak points on ordinary tripods. Extremely low-angle shooting positions are possible when the legs are opened fully and the lower part of the centre column is detached. The ratio between the folded and

fully-extended height is more than 4 times, which is remarkable and outstanding compared to the competition. Carry an ULTRA-series tripod in your backpack or on your bicycle and take stunning photos by yourself while travelling. Extra durability and extra compactness are available with Velbon's ULTRA models.

Other Velbon tripod ranges, such as **CX-series**, **DF**, **P-MAX** and **C-series** offer tripods with non-detachable heads - these heads are constructed as part of the tripod and are not designed to be removed.

If your tripod has a sliding or lift-out centre column, Velbon offers the optional **HC-2528 Hide-clamp** as a separate unit. Simply slide out your centre column with head, then insert them into the Hide-clamp to use like a mono-stand at a bench or chair arm etc. When you visit places such as museums or theatres, tripods may not be allowed - in this case a hide-clamp and center column unit or a monopod will support your camera at slow shutter speeds.

A tripod Dolly is extremely useful for Video use and the folded size is very compact and extremely light weight. The multi-use **Dolly DL-11** has been well accepted for many years.

UC-6 is an Umbrella Clamp which you can clip onto your tripod for taking photos in the rain. It is also very useful as portable flash reflector in the studio or even outdoors, using the built-in hot shoes to hold your flashgun and provide synchronised lighting.

LOOK P.26



Velbon designs and creates not just tripods, but a whole modular system from the top of the tripod to the centre column and most importantly, the legs which will support your camera and provide a steady platform for shooting stunning images.

GEO SERIES

SHERPA SERIES

ULTRA SERIES

VIDEO SERIES


CX/DF SERIES

GEO

SERIES

N SERIES
→ Nut locking legs.


FEATURES




New design release lever with safety lock for quick and easy centre column height adjustments.



Multi use pochette slips over the end of the tripod legs to allow comfortable shoulder carrying. Also doubles as Stone bag for added tripod stability in windy conditions.



New spiral etched surface of carbon legs provide smooth and fast extension. Inbuilt scale indicates 2.5cm and 5cm intervals on each leg. 2-way adjustable legs tips provides metal spike or rubber feet option.



2 section centre column can be detached to enable extra low picture taking angle as used in macro photography.

Velbon's New Generation GEO-series Carbon Fibre Tripods - Born from Advanced Technology...

Velbon's new GEO-series tripods use a unique Carbon-Fibre and Basalt composite material which gives the legs added strength & rigidity. They feature Spiral-Etched surfaces for smooth, fast extension as well as unique Lever-Locking or traditional Nut-Locking leg sections. Each leg is fitted with an adjustable tip, giving Rubber or Spike options.



Also unique is Velbon's new Centre Column Quick-Release Lever which allows fast adjustment of column height. The two-section centre column can be split for low-angle use in Macro photography etc.

Velbon GEO-series tripods are supplied with a multi-purpose Leg Pochette, which can be used for comfortable shoulder carrying and as a stone bag for added tripod support in windy conditions.



GEO SERIES



								HEAD SCREW	RECOMMENDED HEAD
		cm / inch	cm / inch	cm / inch	kg / lbs	mm / inch	kg / lbs		
GEO N830	EAN 4907990 440938 UPC 017915538306	200 / 78.7	35 / 13.8	81.7 / 32.2	3.3 / 7.3	36 / 0.14 ③	9 / 19.85	3/8 inch only	PH-285, FHD-71Q, QHD-71/71Q/72Q
GEO N840	EAN 4907990 440952 UPC 017915538405	201 / 79.1	35 / 13.8	68.5 / 27.0	3.32 / 7.32	36 / 0.14 ④	9 / 19.85	3/8 inch only	PH-285, FHD-71Q, QHD-71/71Q/72Q
GEO N840S	EAN 4907990 440976 UPC 017915538429	165 / 65.0	35 / 13.8	59 / 23.2	3.06 / 6.72	36 / 0.14 ④	9 / 19.85	3/8 inch only	PH-285, FHD-71Q, QHD-71/71Q/72Q
GEO N730	EAN 4907990 440990 UPC 017915537309	191 / 75.2	16.7 / 6.6	70 / 27.6	2.49 / 5.49	32 / 0.13 ③	7 / 15.44	3/8 inch only	PH-275, FHD-71Q, QHD-71/71Q/72Q
GEO N740	EAN 4907990 441034 UPC 017915537408	173 / 68.1	14 / 5.5	55.8 / 22.0	2.31 / 5.09	32 / 0.13 ④	7 / 15.44	3/8 inch only	PH-275, FHD-71Q, QHD-71/71Q/72Q
GEO N630	EAN 4907990 441058 UPC 017915536302	166 / 65.4	13 / 5.1	58.5 / 23.0	1.67 / 3.68	28 / 0.11 ③	4 / 8.82	1/4 & 3/8 inch	PHD-64Q(61Q), FHD-61Q, QHD-61/61Q/62Q
GEO N640	EAN 4907990 441072 UPC 017915536401	157 / 61.8	11.3 / 4.4	46.5 / 18.3	1.68 / 3.7	28 / 0.11 ④	4 / 8.22	1/4 & 3/8 inch	PHD-64Q(61Q), FHD-61Q, QHD-61/61Q/62Q
GEO N530	EAN 4907990 441096 UPC 017915535305	160 / 63.0	16.8 / 6.6	53.5 / 21.1	1.38 / 3.04	25 / 0.10 ③	3 / 6.61	1/4 inch only	PHD-54Q(51Q), FHD-51Q, QHD-61/61Q/62Q, PH-157Q
GEO N540	EAN 4907990 441096 UPC 017915535404	142 / 55.9	14 / 5.5	43 / 16.9	1.36 / 3	25 / 0.10 ④	3 / 6.61	1/4 inch only	PHD-54Q(51Q), FHD-51Q, QHD-61/61Q/62Q, PH-157Q



Velbon suggests this ideal equipment working load weight, safely under the tripod's maximum capacity.

GEO

SERIES



E SERIES
→ Lever locking legs.


FEATURES




New design release lever with safety lock for quick and easy centre column height adjustments.



Multi use pochette slips over the end of the tripod legs to allow comfortable shoulder carrying. Also doubles as Stone bag for added tripod stability in windy conditions.



New spiral etched surface of carbon legs provide smooth and fast extension. Inbuilt scale indicates 2.5cm and 5cm intervals on each leg. 2-way adjustable legs tips provides metal spike or rubber feet option.



2 section centre column can be detached to enable extra low picture taking angle as used in macro photography.



GEO E640



GEO E640L



GEO E630

GEO E540

GEO SERIES



GEO E530



GEO E440




GEO E430









GEO E540L



GEO E440L



GEO E330

								HEAD SCREW	RECOMMENDED HEAD
		cm / inch	cm / inch	cm / inch	kg / lbs	mm / inch	kg / lbs		
GEO E630	EAN 4907990 442857 UPC 017915546301	163 / 64.2	13 / 5.1	56.5 / 22.2	1.56 / 3.44	28 / 0.11 ③	4 / 8.82	1/4 & 3/8 inch	PHD-64Q(61Q), FHD-61Q, QHD-61/61Q/62Q
GEO E640	EAN 4907990 442871 UPC 017915546400	156 / 61.1	11 / 4.3	45 / 17.7	1.55 / 3.42	28 / 0.11 ④	4 / 8.82	1/4 & 3/8 inch	PHD-64Q(61Q), FHD-61Q, QHD-61/61Q/62Q
GEO E640L	EAN 4907990 442895 UPC 017915546417	188 / 74.0	12.6 / 5.0	55 / 21.7	1.72 / 3.79	28 / 0.11 ④	4 / 8.82	1/4 & 3/8 inch	PHD-64Q(61Q), FHD-61Q, QHD-61/61Q/62Q
GEO E530	EAN 4907990 442918 UPC 017915545304	157 / 61.8	16.6 / 6.5	52 / 20.5	1.29 / 2.84	25 / 0.10 ③	3 / 6.61	1/4 inch only	PHD-54Q(51Q), FHD-51Q, QHD-61/61Q/62Q, PH-157Q
GEO E540	EAN 4907990 442932 UPC 017915545403	141 / 55.5	14 / 5.5	40.7 / 16.0	1.25 / 2.76	25 / 0.10 ④	3 / 6.61	1/4 inch only	PHD-54Q(51Q), FHD-51Q, QHD-61/61Q/62Q, PH-157Q
GEO E540L	EAN 4907990 442956 UPC 017915545410	162 / 63.8	15 / 5.9	47.2 / 18.6	1.36 / 2	25 / 0.10 ④	3 / 6.61	1/4 inch only	PHD-54Q(51Q), FHD-51Q, QHD-61/61Q/62Q, PH-157Q
GEO E430	EAN 4907990 442970 UPC 017915544307	135 / 53.1	12 / 4.7	46 / 18.1	1 / 2.2	22 / 0.09 ③	2.5 / 5.5	1/4 inch only	PHD-41Q, FHD-41Q, QHD-51, 51Q
GEO E440	EAN 4907990 442994 UPC 017915544406	121 / 47.6	10 / 3.9	36 / 14.2	0.997 / 2.2	22 / 0.09 ③	2.5 / 5.5	1/4 inch only	PHD-41Q, FHD-41Q, QHD-51, 51Q
GEO E440L	EAN 4907990 443014 UPC 017915544413	157 / 62.0	12.5 / 4.9	46.2 / 18.2	1.13 / 2.49	22 / 0.09 ④	2.5 / 5.5	1/4 inch only	PHD-41Q, FHD-41Q, QHD-51, 51Q
GEO E330	EAN 4907990 443038 UPC 017915543300	139 / 54.7	13 / 5.1	45 / 17.7	0.806 / 1.78	19 / 0.07 ③	2 / 4.4	1/4 inch only	PHD-31Q, QHD-41, 41Q



Velbon suggests this ideal equipment working load weight, safely under the tripod's maximum capacity.

Al
aluminium

Sherpa series are classified with 3 aspects depending on the time of introduction.

Basic models are for the amateur photographers who start to own SLR cameras.

We may ask whether you use Low position shots or how the height must be when Extended, are the key points to select your tripods. 3-sections are normal but 4-Section becomes compact when folded.







Basic model SHERPA 250R, 450R, 600R, 750R




2nd generation of Sherpa range is now including ball socket head or fluid head etc.
One of them has smaller diameter of the legs to make it light and tiny.

SHERPA 200R, 800R (slide elevator) 555R, 603R, 803R(Ball heads), 538(fluid head), 435(compact slim), 550R(gear-driven elevator but low angle type)

- 803R** has clamp unit at the center column
- 603R** has ball socket head with low angle position
- 555R** is 4-section legs with ball head for low angle position
- 538** has 2-way fluid head, radial braces on the legs Ideal for bird watching.
- 435** is slim and good for low position, light weight, 2-handles on the head.
- 550R** has geared elevator and low position, 3-section legs.




		 cm / inch	 cm / inch	 cm / inch	 kg / lbs	 mm / inch	 kg / lbs	SPARE QUICK RELEASE PLATE
Sherpa 200R	EAN 4907990 200877 UPC 017915412002	167.5 / 65.9	59 / 23.2	62 / 24.4	1.95 / 4.3	26 / 1.02 ③	3.5 / 7.72	QB-157
Sherpa 250R	EAN 4907990 206503	162 / 63.8	59 / 23.2	62.5 / 24.6	2.0 / 4.44	26 / 1.02 ③	4 / 8.82	QB-157
Sherpa 450R	EAN 4907990 206527	173 / 68.1	64.5 / 25.4	67.5 / 26.6	2.25 / 4.96	26 / 1.02 ③	4 / 8.82	QB-157
Sherpa 550R	EAN 4907990 200938	155 / 61.0	27.5 / 10.8	63 / 24.8	2.12 / 4.67	26 / 1.02 ③	4 / 8.82	QB-157
Sherpa 600R	EAN 4907990 206541 UPC 017915416000	170 / 66.9	29 / 11.4	63 / 24.8	2.0 / 4.44	26 / 1.02 ③	4 / 8.82	QB-157
Sherpa 750R	EAN 4907990 206565 UPC 017915417502	155 / 61.0	31.5 / 12.4	55 / 21.7	2.2 / 4.85	26 / 1.02 ④	4 / 8.82	QB-157

   Velbon suggests this ideal equipment working load weight, safely under the tripod's maximum capacity.

SHERPA

SERIES

Al
aluminium



Specific Designs



SHERPA SERIES



SHERPA+ Mg magnesium

As from 2010, we add Sherpa Plus series to classify high end quality.

Leg diameter becomes larger than current Sherpa range and have got more durability on the tripod body, which is made from Magnesium. Because of it, we can supply very Tough tripod in light weight construction in the top class Aluminum tripod range. Sherpa Plus is like a bridge tripod between GEO and Sherpa range.



								SPARE QUICK RELEASE PLATE
		cm / inch	cm / inch	cm / inch	kg / lbs	mm / inch	kg / lbs	
Sherpa 435R	EAN 4907990 404442	161 / 63.4	23.8 / 9.37	58 / 22.8	1.49 / 3.28	23 / 0.90 ③	3 / 6.61	QB-145
Sherpa 538R	EAN 4907990 404503 UPC 017915415386	159.5 / 62.8	59 / 23.2	64.5 / 25.4	2.14 / 4.72	26 / 1.02 ③	4 / 8.82	QB-F51
Sherpa 555R NEW	EAN 4907990 433602	147 / 57.9	16.8 / 6.61	53.5 / 21.1	1.22 / 2.69	23 / 0.90 ④	3 / 6.61	QB-3B
Sherpa 603R NEW	EAN 4907990 210661	170 / 66.9	29 / 11.4	63 / 24.8	2.00 / 4.41	26 / 1.02 ③	2.5 / 5.51	QB-157
Sherpa 800R	EAN 4907990 204585	169.5 / 66.7	60 / 23.6	62.5 / 24.6	1.95 / 4.3	26 / 1.02 ③	4 / 8.82	QB-157
Sherpa 803R	EAN 4907990 245106	169 / 66.5	58.5 / 23.0	61.5 / 24.2	1.96 / 4.32	26 / 1.02 ③	4 / 8.82	QB-635L
Mark-7B SET	EAN 4907990 111944	179.7 / 70.7	59.7 / 23.5	81.7 / 31.2	5.15 / 11.35	32 / 1.26 ③	7 / 15.43	Recommended Head: PH-275, PH-270B, QHD-71Q
Sherpa+ 530R NEW	EAN 4907990 433909	152.5 / 60.0	16 / 6.30	53 / 20.9	1.37 / 3.02	26 / 1.02 ③	4 / 8.82	Recommended Head: PHD-61Q, 62Q, 64Q, QHD-61Q, 62Q, FHD-61Q
Sherpa+ 630R NEW	EAN 4907990 433862	163 / 64.2	12 / 4.72	56 / 22.0	1.67 / 3.68	29 / 1.14 ③	4 / 8.82	Recommended Head: PHD-61Q, 62Q, 64Q, QHD-61Q, 62Q, FHD-61Q



Velbon suggests this ideal equipment working load weight, safely under the tripod's maximum capacity.

ULTRA SERIES

Learn how to extend or collapse legs in one quick easy move from the word go. Then it will become second nature when out and about with your tripod.

Please learn how to use ULTRA tripods correctly. Once you master it, this tripod would help photography much brighter and pleasant. 5- section legs have 4 locking inside the legs. If you release one click only then you would pull out just 1 section leg. Twisting leg pipes 4 times to release all locking devices inside the leg pipes.

Main point is the place to grasp of your left hand as seen in the instruction photos. Twist your arms in front of your chest then rewinding it to open leg sections unlocked. Extend all the legs one time till the end in order to lock all sections one action after That. Twist right hand toward locking direction. Ideal for travel within your brief case to carry on.

ACTION 1 SET



Grasp the end of leg.



ACTION 2 RELEASE



ACTION 3 EXTEND




ACTION 4 LOCK



It has the hand and it has the leg in the crossing feeling.



The hand of B grasps leg grips.



The hand of B keeps grasping the grip, and rotates tripod contrary to the clock. Feel 4 locks release since tripod has 5 sections.



Folding away or collapsing is just the same in reverse. Release each lock by twisting anti-clockwise and collapse the whole leg in one movement.



ACTUAL SIZE (95%) ↑


Really advanced technology is in the compact body, fits within business bag. Adjust 2nd leg locking part(foam grip) to shorten legs after extended and locked full sections.

ULTRA SERIES

AI
aluminium

ULTRA REXi L(A)

SHERPA+ 630R



Velbon has made it happen.

Maximum Height
1630mm
Folded Length
560mm
Section of Legs
3 section



Tripod connecting screw for ULTRA REXi L(A) is interchangeable between 1/4 and 3/8 inch while the screw for ULTRA VOXi L(A) is fixed as 1/4 inch only.



A splendid extension comes from super low level 9.6cm (3.74in) on the ground up to extremely taller 153cm (60.2in) height in one compact tripod folded at 36cm (14.2in).

Patented idea with advanced technology are put into these leg functions, no comparison gear in a category of the best travel partner tripod.

The length of extended height are almost the same between ULTRA REXi L(A) and Sherpa +630R however, folded length is far different each other, 360cm and 560cm.

It is stylish and high performance.
This is Tripod of the digital age.

ULTRA series contains a lot of patented devices for example, unique 4-way Pan-head, Leg construction, and Leg shape etc. which enable to make ULTRA series extremely compact ideal tripod for traveling. Legs stopper devices are located inside the leg pipes.

No competition in this segments if we compare the ratio of extended length between Full low position and maximum height.

Japanese technology is apt to make everything compact such as car industry as well as camera industry. Velbon put this story in this ULTRA tripods afterwards.



ULTRA SERIES

TRAVEL GEAR MAX i 347GB



- Aluminium 4-section legs, lever locking, radial braces, Spike & Rubber feet.
- Patented TRUNNION SHAFT SYSTEM.

		cm / inch	cm / inch	cm / inch	kg / lbs	mm / inch	kg / lbs		SPARE QUICK RELEASE PLATE
ULTRA REXi L(A)	NEW	EAN 4907990 400253 UPC 017915911208	153 / 60.2	9.5 / 3.74	36 / 14.2	1.31 / 2.89	30 / 1.18	4.0 / 8.82	
ULTRA VOXi L(A)	NEW	EAN 4907990 400239 UPC 017915911109	154 / 60.6	12.3 / 4.84	36 / 14.2	1.1 / 2.43	27 / 1.06	3.5 / 7.72	
ULTRA LUXi L II	NEW	EAN 4907990 437464	158 / 62.2	18.6 / 7.32	39.8 / 15.7	1.08 / 2.38	24.0 / 0.94	3.0 / 6.61	QHD-51Q
ULTRA LUXi L		EAN 4907990 405005 UPC 017915911055	161 / 63.4	19 / 7.48	39 / 15.4	1.32 / 2.91	24.0 / 0.94	2.5 / 5.51	QB-145
ULTRA LUXi M		EAN 4907990 404824 UPC 017915911048	138.5 / 54.5	19 / 7.48	34.5 / 13.6	1.26 / 2.78	24.0 / 0.94	2.5 / 5.51	QB-5LC
ULTRA MAXi L		EAN 4907990 405029 UPC 017915910065	152.5 / 60.0	16.5 / 6.50	36 / 14.2	0.99 / 2.18	21.0 / 0.87	2.0 / 4.41	QB-3B
ULTRA MAXi M		EAN 4907990 404882 UPC 017915910058	138.5 / 54.5	16.5 / 6.50	33.5 / 13.2	0.92 / 2.03	21.0 / 0.87	2.0 / 4.41	QB-3B
ULTRA MAXi mini		EAN 4907990 209672 UPC 017915911000	47.7 / 18.8	13.6 / 5.35	19.5 / 7.68	0.58 / 1.28	21.0 / 0.87	1.5 / 3.31	QB-3B
P-MAX		EAN 4907990 404404 UPC 017915303706	131 / 51.6		34 / 13.3	0.8 / 1.76	21.0 / 0.87	1.5 / 3.31	QB-337
MAXi 347GB		EAN 4907990 404725 UPC 017915303621	158.5 / 62.4	41 / 16.1	42.7 / 16.8	1.2 / 2.65	20.0 / 0.78	2.0 / 4.41	QB-3B



Velbon suggests this ideal equipment working load weight, safely under the tripod's maximum capacity.


VIDEO SERIES

Al
aluminium

It corresponds to all models and situations of the video camera.

Velbon offers unique video heads on each segment of tripod's category. Smooth panning and tilting action while stopper screws are unlocked. Once position is fixed please just release handle and lock stoppers softly. Soft touch will be enough to stop and move for panning and tilting. Velbon's fluid heads go with traditional aluminum tripods as well as CX or C- series bodies depending on purpose.

Dolly is useful to move in the studio works.
Fluid head is useful for Bird watching as well.



DV-6000



DV-7000



VIDEO SERIES



C-600

CX-686



C-500










C-400

CX-480



CX-586

									SPARE QUICK RELEASE PLATE
		cm / inch	cm / inch	cm / inch	kg / lbs	mm / inch	kg / lbs	kg / lbs	
DV-6000	EAN 4907990 205698	156.5 / 61.6	51 / 20.1	66 / 26.0	2.2 / 4.85	26 / 1.02 ③	4 / 8.82	4 / 8.82	QB-5RL
DV-7000	EAN 4907990 205704 UPC 017915628915	162.5 / 64.0	57 / 22.4	70 / 27.6	3.47 / 7.65	29 / 1.14 ③	4.5 / 9.92	4.5 / 9.92	QB-6RL
C-400	EAN 4907990 201881 UPC 017915861404	146 / 57.5	58 / 22.8	57 / 22.4	1.3 / 2.87	20 / 0.79 ③	2 / 4.41	2 / 4.41	QB-4L
C-500	EAN 4907990 201843 UPC 017915862500	152 / 59.8	60 / 23.6	62 / 24.4	1.7 / 3.75	23.2 / 0.91 ③	3 / 6.61	3 / 6.61	QB-5RL
C-600	EAN 4907990 201928 UPC 017915864603	163 / 64.2	65 / 25.6	67 / 26.4	2.0 / 4.44	26.8 / 1.06 ③	4 / 8.82	4 / 8.82	QB-6RL
CX-480	EAN 4907990 205247 UPC 017915220485	146 / 57.5	58 / 22.8	57 / 22.4	1.3 / 2.87	20 / 0.79 ③	2 / 4.41	2 / 4.41	QB-4L
CX-586	EAN 4907990 203045	152 / 59.8	60 / 23.6	62 / 24.4	1.8 / 3.97	23.2 / 0.91 ③	3 / 6.61	3 / 6.61	QB-5RL
CX-686	EAN 4907990 202024 UPC 017915426863	163 / 64.2	65 / 25.6	67 / 26.4	2.0 / 4.44	26.8 / 1.06 ③	4 / 8.82	4 / 8.82	QB-6RL



Velbon suggests this ideal equipment working load weight, safely under the tripod's maximum capacity.

CX/DF SERIES

AI
aluminium

CX Titanium Bronze Colour

DF Black Colour

**Standard model by whom
lightness is studied thoroughly.**







For beginners and family photography, CX or DF will be suitable with Compact or D-SLR camera as well as Video-camcorder.

From Compact Table pod till taller tripods in one range, CX are well accepted now DF are launching in Black color finishing.



CX/DF SERIES



								
		cm / inch	cm / inch	cm / inch	kg / lbs	mm / inch	kg / lbs	SPARE QUICK RELEASE PLATE
CX-mini	EAN 4907990 205421	64 / 25.2	22 / 8.66	30 / 11.8	0.79 / 1.74	20 / 0.78 (3)	2.0 / 4.41	QB-4LC
CX-200	EAN 4907990 205322 UPC 017915102002	115 / 45.3	41 / 16.1	44 / 17.3	1.0 / 2.2	20 / 0.78 (3)	1.0 / 2.2	without quick release plate.
CX-300	EAN 4907990 205162 UPC 017915203006	145 / 57.1	51 / 20.1	54 / 21.3	1.1 / 2.43	20 / 0.78 (3)	1.0 / 2.2	without quick release plate.
CX-440	EAN 4907990 205100 UPC 017915204409	144 / 56.7	51 / 20.1	54 / 21.3	1.2 / 2.65	20 / 0.78 (3)	2.0 / 4.41	QB-4LC
CX-444	EAN 4907990 405586 UPC 017915204447	145 / 57.1	46 / 18.1	48 / 18.9	1.3 / 2.87	23.2 / 0.91 (4)	1.5 / 3.31	QB-4W
CX-460	EAN 4907990 205087 UPC 017915204607	144 / 56.7	50.5 / 19.9	54 / 21.3	1.3 / 2.87	20 / 0.78 (3)	1.0 / 2.2	QB-4W
CX-460 mini	EAN 4907990 205667	56 / 22.0	22 / 8.66	30.5 / 12.0	0.8 / 1.76	20 / 0.78 (3)	2.0 / 4.41	QB-4W
CX-540	EAN 4907990 203106 UPC 017915305403	152 / 59.8	55.5 / 21.9	61 / 24.0	1.54 / 3.4	23.2 / 0.91 (3)	2.0 / 4.41	QB-5LC
CX-560	EAN 4907990 203229	150 / 59.1	52 / 20.5	56.5 / 22.2	1.54 / 3.4	23.2 / 0.91 (3)	2.0 / 4.41	QB-5W
CX-640	EAN 4907990 202048 UPC 017915406407	162 / 63.8	59 / 23.2	65 / 25.6	1.75 / 3.86	26.8 / 1.06 (3)	2.5 / 5.51	QB-5LC
CX-660	EAN 4907990 202161	162 / 63.8	58 / 22.8	61 / 24.0	1.72 / 3.79	26.8 / 1.06 (3)	2.5 / 5.51	QB-5W
CX-888 BLACK	EAN 4907990 201904	145 / 57.1	46 / 18.1	48 / 18.9	1.3 / 2.87	23.2 / 0.91 (4)	1.5 / 3.31	QB-4W
DF-40	EAN 4907990 205933 UPC 017915200302	144 / 56.7	51 / 20.1	54 / 21.3	1.09 / 2.4	20 / 0.78 (3)	1.0 / 2.2	QB-4LC
DF-50	EAN 4907990 205957 UPC 017915300507	152 / 59.8	58 / 22.8	58 / 22.8	1.49 / 3.28	23.2 / 0.91 (3)	2.0 / 4.41	QB-4W
DF-60	EAN 4907990 205971 UPC 017915400603	162 / 63.8	58 / 22.8	61 / 24.0	1.826 / 4.03	26.8 / 1.06 (3)	2.5 / 5.51	QB-5W



Velbon suggests this ideal equipment working load weight, safely under the tripod's maximum capacity.

MONOPOD

- Extensive range of monopods constructed from different materials such as Carbon fibre and Aluminium.
- Carbon range features Nut Locking legs(N) as well as Lever Locking legs(E).
- Aluminium range features legs from Sherpa, ULTRA and CX-serise. • Some monopods incorporate heads.



		cm / inch	cm / inch	g / lbs	mm / inch	
GEO POD N84	EAN 4907990 478405 UPC 017915550841	189 / 74.4	59 / 23.4	768 / 1.69	36 / 1.42	④ Head screw 3/8 only.
GEO POD N74	EAN 4907990 478429 UPC 017915550742	170 / 66.9	54 / 21.5	622 / 1.37	32 / 1.26	④ Head screw 3/8 only.
GEO POD N64	EAN 4907990 478443 UPC 017915550643	154 / 60.6	49.5 / 19.5	485 / 1.07	28 / 1.10	④ Head screw 1/4 & 3/8 inch.
GEO POD E64	EAN 4907990 478788 UPC 017915550642	167 / 65.7	43 / 17.0	458 / 1.01	28 / 1.10	④ Head screw 1/4 & 3/8 inch.
GEO POD E54	EAN 4907990 478801 UPC 017915550543	159 / 62.6	51 / 20.1	371 / 0.82	25 / 0.98	④ Head screw 1/4 only.
GEO POD E44	EAN 4907990 478825 UPC 017915550444	148 / 58.3	48.2 / 19.0	314 / 0.69	22 / 0.87	④ Head screw 1/4 only.
UP-400DX	EAN 4907990 407573 UPC 017915805057	169 / 66.5	57 / 22.4	750 / 1.65	26.8 / 1.05	④ Fluid tilting head with Quick release QB-4L
UP-400	EAN 4907990 407566 UPC 017915805033	160 / 63.0	51 / 20.0	390 / 0.86	26.8 / 1.05	④
RUP-L40	EAN 4907990 371980 UPC 017915805415	158.4 / 62.4	48.6 / 19.1	360 / 0.79	26 / 1.02	④
RUP-L43	EAN 4907990 372024 UPC 017915805446	163.7 / 64.4	53 / 20.9	440 / 0.97	26 / 1.02	④ Monopod with Ball head QHD-41 Ball head.
RUP-V40	EAN 4907990 407641 UPC 017915805453	169 / 66.5	52 / 20.5	470 / 1.04	29 / 1.14	④
ULTRA STICK M40	EAN 4907990 407948 UPC 017915808409	143.5 / 56.5	42 / 16.5	220 / 0.49	21 / 0.83	④
ULTRA STICK M50	EAN 4907990 407962 UPC 017915808508	130.8 / 51.5	32.5 / 12.8	210 / 0.46	21 / 0.83	⑤
ULTRA STICK M53	EAN 4907990 407979 UPC 017915808539	137 / 53.9	37 / 14.6	310 / 0.68	21 / 0.83	⑤
ULTRA STICK L50	EAN 4907990 407986 UPC 017915808058	155 / 61.0	37 / 14.6	300 / 0.66	24 / 0.94	⑤

N: Nut Locking System E: Lever Locking System

QUICK RELEASE ADAPTER (QRA)

- Same base (QRA-6L BASE) for both QRA-667L and QRA-635L. • 2 spirit levels for Panorama and Vertical on QRA-667L and QRA-635L.
- Extremely Light weight Magnesium Alloy QRA-667L and QRA-635L.



QUICK RELEASE PLATE COMPATIBILITY

QB-667L	QHD-71Q, 72Q, 61Q, 62Q / PHD-64Q(61Q) / QRA-667L(B), 635L(B)
QB-635L	QHD-61Q, 62Q, 71Q, 72Q / PHD-54Q(51Q), 64Q(61Q) / QRA-635L(B), 667L(B)
QB-62	PHD-62Q, 52Q / PH-157Q, PH-145Q
QB-3	PHD-31Q / QHD-41Q, 51Q / QRA-3 / MAXI-347GB / ULTRA MAXI-M, L, mini / ULTRA MAXI-L II / SHERPA 603R
QB-145	PHD-41Q / SHERPA 435 / ULTRA LUXI-M, L / PH-157Q / PHD-62Q, 52Q
QB-157	PH-157Q / PHD-41Q, 62Q, 52Q

BLOCK letters are the original combination, the others are alternative compatibility.

HEAD

Tripod attachment socket is 1/4inch including removable 3/8inch adaptor.

Photo

- 4-way (Pan, Tilt, Side tilt for left and right) head with quick release plate.
- Side Tilt handle & Panning stop knob of PHD-61Q, 62Q, 64Q, 51Q, 52Q, 54Q, & 41Q is interchangeable for Left and Right handed. • QB-62 (DIN) has the same base as QB-157 and QB-145 Telescopic Side Tilt handle (PHD-62Q, 52Q, 64Q, 54Q) 3pcs of Spirit Level (PHD-62Q, 52Q, 64Q, 54Q, 41Q)

▲ The side lever expands and contracts.



Ball Head

- Magnesium camera plate with quick release plate (QHD-71Q, QHD-72Q, QHD-61Q, QHD-62Q).
- Aluminum camera plate with quick release plate (QHD-51Q, QHD-41Q).

UNIQUE KNOB GRIP DESIGN



Fluid Head

- SPT-1 can be installed with FHD-41Q, 51Q, 61Q, & 71Q



PRO Head




Traditional Head


COMPACT, FRIENDLY CARRYING LIKE A TOUR-PACKAGE

CUBE


EXTEND



ACTION 1
Hold all three rubber feet together. Pull out all of 3 legs at one time.




ACTION 2
Till 8 sections will be appeared completely. Fully extend the legs.




ACTION 3
Stand the tripod with enough extension for stability.
+ do not use tripod in unstable grand condition
+ make sure all legs are fully extended and stand well to support your camera before take a picture

FOLD



ACTION 1
Grasp at the end of the first leg section to release locking system.



ACTION 2
Grip the legs and press Lock/Release Button.



ACTION 3
Collapse all 3 legs sliding into the first leg section by one action.

TRAVEL-SHOOTING SOLUTION!!

2-SECOND SPEEDY SETUP & SINGLE-ACTION FOLDING.

When on a sight-seeing tour, there is often not enough time to set up a tripod so you can get a photograph of you and your friends together.

The CUBE tripod can easily be setup in just two seconds, allowing you to take your group shot and then collapse it down again in one quick action, with plenty of time to go on to the next place.

The head on this tripod is unique: You simply squeeze the locking levers to adjust the head and the angle of your camera, then release again to lock it in position, ready for shooting.



Push the flat pin to swing head to vertical position 90 degree
Head is unique

NEW

Full. Extend: 940mm / 37.0inch
Folded Length: 245 / 9.65inch
Diameter of pipe: 16mm / 0.63inch
Section of legs: 8
Net weight: 390g / 0.86lbs
Ideal Loaded: 400g / 0.88lbs
Carrying Case: Included
EAN 4907990 306500
UPC 017915110007

ACCESSORIES

Super Mag Plate

Twin camera plate for stereo photography.
Each screw is adjustable for camera location.
L: 360(14.2) x W: 63(2.5) x H: 25(0.98)mm(inch)
Weight: 440g/0.97lbs
1/4 inch tripod socket
EAN 4907990 273406 UPC 017915884779

Mg magnesium



UC-6 (umbrella & clamp)



Clamp size
L: 230(9.05) x W: 100(3.93) x H: 98(3.86)mm(inch)
Weight: 200g/0.44lbs
•Umbrella size
Diameter: 900mm/35.4inch
Depth: 200mm/7.87inch
Shaft diameter: 10mm/0.39inch
Length of the Shaft: 530mm/20.9inch
Weight: 190g/0.42lbs
EAN 4907990 408570
UPC 017915910126



Useful in the rain holding Umbrella by clamp at the center column of tripod and let your hands free to take pictures.
Useful under sunshine to save shadow or top light by the black Umbrella. Umbrella has white color inside to be used in the studio with a flash gun like Reflector or bouncer. Shoe connectors are located at the grip of the clamp. Pushing the central part and rotate to adjust for ideal angle of the Umbrella. Clamping units are adjustable to fit different diameters of center column.

Clamp HC-25/28

High Clamp for bird, nature watching, where tripod unsuitable.
Clamping to table, chair arm, shelf, etc.
2 sizes of sleeve are included for center column.
•White 25-26mm/9.84-10.2inch centre column diameter
•Black 27-28mm/10.63-11.02inch centre column diameter
EAN 4907990 209887



Dolly

Light weight dolly with wheel locking system. Ideal for video tripod DV-7000.
2-section arms.
Diameter of spread legs: 61cm-84cm/ 24.01-33.07inch
Weight: 1.1kg/2.43lbs
EAN 4907990 200228
UPC 017915844117



Super Mag Slider

For Macro photography, fine adjusting frame forward and back, left and right. Upper unit for forward and back can be detached to use separately.

L: 210(8.27) x W: 120(4.72) x H: 70(2.76)mm(inch)
Maximum adjustment:
Forward/back: 60mm/2.36inch
Left/right: 30mm/1.18inch
Weight: 470g/1.04lbs
1/4 inch tripod socket
EAN 4907990 273253
UPC 017915884052

Mg magnesium



SPT-1 (PAT.) (Lens supporter)



L: 245(9.65) x W: 70(2.76) x H: 98(3.86)mm(inch)
Weight: 340g/0.75lbs
EAN 4907990 389800
UPC 017915884809



Snow Shoe

Suitable with Velbon tripod only.
Use Snow Shoe with adapter ring between leg, rubber and spikes.

3 adapter sizes included:
L: Sherpter PRO CF-830/840/730/740 Mark-7B
M: Sherpa PRO CF-630/640/530/540 635/645/645L/535/545/545L
S: Sherpa PRO CF-435/445L
EAN 4907990 000000



Leg Pochette

4 Sizes of Leg Pochette. Attached by an adapter ring between tripod head and base.
#700 C: 39cm/15.4inch Depth: 18cm/7.09inch
EAN 4907990 384386
#600 C: 39cm/15.4inch Depth: 18cm/7.09inch
EAN 4907990 384362
#500 C: 36cm/14.2inch Depth: 14cm/5.51inch
EAN 4907990 384348
#400 C: 36cm/14.2inch Depth: 14cm/5.51inch
EAN 4907990 384324



C: Circumference

TABLE POD

		cm / inch	cm / inch	cm / inch	g / lbs	mm / inch	kg / lbs	
MINI-II	EAN 4907990 273604	21.5 / 8.46	14.9 / 5.86	15 / 5.9	105 / 0.23	10 / 0.39 ②	0 / 0	2-section Table Pod for compact digital cameras. Includes tripod pouch with belt loop. Metalloc Silver color.
Teeny Pod	EAN 4907990 273543	12.9 / 5.07			50 / 0.11			Tiny and bendy table pod for compact digital cameras. Slips into your pocket Black only.
VTP-777	EAN 4907990 259721	105.5 / 41.5	26 / 10.2	26.2 / 10.3	600 / 1.32	15 / 0.59 ⑧	1.0 / 2.2	Compact 8 section tripod with carrying case. Black colour only.
V-Pod	EAN 4907990 259783 UPC 017915104006	101 / 39.8	28.5 / 11.2	29 / 11.4	275 / 0.61	15 / 0.59 ④	2.0 / 4.41	Clip (Mobile holder) Size Hight: 8cm Weight: 25g

NOTES

Velbon suggests this ideal equipment working load weight, safely under the tripod's maximum capacity.

TRIPOD CASE

C: Circumference

4W#640L L: 360(14.2) x W: 105(4.13) x D: 70(2.75)mm(inch) EAN 4907990 380746	4W#630L L: 720(28.3) x W: 510(20.01)mm(inch) EAN 4907990 380760	4W#740L L: 740(29.1) x W: 720(28.3)mm(inch) EAN 4907990 380722	4W#840L L: 855(33.66) x W: 800(31.5)mm(inch) EAN 4907990 380685	4W#830L L: 995(39.2) x W: 800(31.5)mm(inch) EAN 4907990 380708
#400 L: 360(14.2) x W: 105(4.13) x D: 70(2.75)mm(inch) EAN 4907990 207401	#500 L: 590(23.2) x W: 110(4.33) x D: 75(2.95)mm(inch) EAN 4907990 207425	#600 L: 600(23.6) x W: 120(4.72) x D: 80(3.15)mm(inch) EAN 4907990 207449	#700 L: 680(26.77) x W: 125(4.92) x D: 90(3.54)mm EAN 4907990 207463	